

VOLUME I - INVITED LECTURES INDEX

| | |
|---|---------|
| Clay science studies in the World <i>Faiza Annabi – Bergaya</i> | 1-3 |
| Clay minerals as model for the study of physical and chemical phenomena <i>José M. Serratos Márquez</i> | 4-14 |
| Inhomogeneous clay mineral formation in volcanic rocks from Gran Canaria, Spain: Preliminary results <i>Radko A. Kühnel</i> | 15-26 |
| Clay minerals in basaltic rocks: Review and questions <i>Alain Meunier</i> | 27-47 |
| Formation mechanisms of clay minerals from andesitic volcanic materials by reactions of weathering processes <i>Hideo Minato</i> | 48-58 |
| The influence of volcanism and tectonic setting on the genesis of clay minerals <i>Richard J. Merriman</i> | 59-70 |
| Cation-saturated swelling physils: An XRD revisitiation <i>Jacques Thorez</i> | 71-85 |
| Another look at clay minerals from tephra derived volcanic glass <i>Saverio Fiore</i> | 86-95 |
| Argillation of submarine volcanic rocks - a source for detrital smectite deposited in the Levant Basin during the Tethys divergence and convergence <i>Slomo Shoval</i> | 96-113 |
| Fabric: a parameter leading the mechanical and hydraulic behaviour of argillaceous geomaterials <i>Fernando Veniale</i> | 114-116 |
| Origin and evolution of magnesium clays in lacustrine environments: Sedimentology and geochemical pathways <i>Manuel Pozo Rodríguez</i> | 117-133 |
| Phosphorous clay components in volcanic environments <i>Roland G. Schwab</i> | 134-143 |
| Factors influencing the formation, physicochemical properties and reactivity of short-range ordered aluminium precipitation products <i>António Violante</i> | 144-158 |
| Protonation-deprotonation reactions: Structural formulae of dioctahedral smectites <i>Lisa Heller-Kallai</i> | 159-174 |
| Ordovician K-bentonites in the Argentine Precordillera <i>Warren D. Huff</i> | 175-186 |
| The use of infrared spectroscopy in the study of the interaction of organic compounds and smectite clay minerals <i>Shmuel Yariv</i> | 187-212 |

| | |
|---|---------|
| Volcanic-pyroclastic source rocks of the kaolin deposits in Argentina: Their influence in the industrial applications <i>Fernanda Cravero</i> | 213-222 |
| Assessing micro-and nano-structures by photon and electron microscopy and analysis – Application to soils – <i>Françoise Elsass</i> | 223-236 |
| Crystallochemical classification of smectites and the unified system of protection of their chemical composition; attention to Fe³⁺- montmorillonite <i>Andrzej Wiewióra</i> | 237-244 |
| NH₄-Vermiculite <i>José Luis Pérez Rodríguez</i> | 245-249 |
| Clay barriers and their long term stability <i>Jean-Frank Wagner</i> | 250-257 |
| Pharmaceutical applications of fibrous clays sepiolite and palygorskite from some circum-mediterranean deposits <i>Alberto López Galindo</i> | 258-270 |
| Source and dynamics of the present clay sediments in a deep sea basin and in a shelf basin of the Mediterranean Sea: A case of study <i>Luciano Tomadin</i> | 271-282 |
| Chlorite-smectite authigenesis in the lacustrine environment of the Mexican Basin, Mexico <i>Liberto de Pablo-Galan</i> | 283-291 |
| New phases of kaolinite expanded with potassium acetate - A XRD and Raman study <i>Ray L. Frost</i> | 292-305 |
| Transitional phases of mica crystals in volcanic materials <i>Karel Melka</i> | 306-316 |
| Use of clay minerals for K-Ar and Rb-Sr dating of hydrothermal minerali ation in Central Slovakian eogene volcanic rocks <i>Ivan Kraus</i> | 317-331 |
| The use of clay-organic interactions to improve efficacy of pesticides: Addition of monovalent organocations to contact herbicides <i>Giora Rytwo</i> | 332-344 |
| New NMR techniques for the study of quadrupolar nuclei in layered silicates <i>João Rocha</i> | 345-350 |
| The role of clay minerals in removing and immobilising heavy metals from contaminated soils <i>Emilio Galán</i> | 351-361 |
| Clay isotopic constraints to modelisation of thermal evolution in sedimentary basins: A review <i>Norbert Clauer</i> | 362-368 |
| Occurrences of bentonites in Southern South America <i>M. L. L. Formoso</i> | 369-384 |

VOLUME II - EXTENDED ABSTRACTS INDEX

| | |
|---|-------|
| Lateral zonography of "Argilas de Aveiro" formation (Portugal) based on mineralogical and geotechnical parameters – a discriminant analysis approach <i>C. Galhano, J. Vidinha, F. Rocha & C. Gomes</i> | 1-6 |
| Discriminant analysis applied to the mineralogy of sediments (fine and clay fractions) from the NW Iberian Margin <i>A. Oliveira, J. Vidinha, F. Rocha, A. Rodrigues, J. M. Jouanneau, A. Dias & C. Gomes</i> | 7-13 |
| Lithostratigraphic zonation of quaternary sediments from Santo André lagoon (SW Portugal) based on clay mineralogy <i>J. Vidinha, F. Rocha, M. C. Freitas, C. Andrade & C. Gomes</i> | 14-19 |
| Alteration on ornamental charnockites <i>Zenaide Silva & João M. Rodrigues</i> | 20-22 |
| Clay study in an altered basalt from Morocco <i>M. Amouric, J. Olives, A. Dekayir & M. El Maataoui</i> | 23-26 |
| Mineralogical characterization of clays used in the structural ceramic industry in West of São Paulo State, Brazil <i>Silvio Rainho Teixeira, Sara Alves de Souza & Constâncio Alberto Issas Moura</i> | 27-32 |
| Paleoambiental reconstruction, during the Quaternary, of the Iberian North Atlantic continental rise, based on both clay and benthic foraminifera Thanatocenosis analysis <i>Virginia Martins, Fernando Rocha, Cristina Sequeira & Celso Gomes</i> | 33-40 |
| Clay minerals of basaltic rocks from the mineral district of Alto Uruguai (RS) of Parana Basin, Brazil <i>M. E. Boscato Gomes, R. M. Scopel, M. L. L. Formoso & A. S. Mexias</i> | 41-46 |
| Mineralogical and morphological characters of suspended matter from the Ross Sea (Antartica) <i>O. Ferretti & F. Immordino</i> | 47-48 |
| Fibrous clay minerals from a tertiary continental deposit (Malpica do Tejo, Portugal) – mineralogical and statistical analysis <i>M. Isabel Dias, Fernando Rocha & Silvério Prates</i> | 49-56 |
| Clay mineralogy, organic metamorphism and palinology of black shales from Albergaria-a-Velha region (NW of Portugal): Geodynamic implications <i>H. I. Chaminé, L. P. Moço, J. P. Fernandes, H. Delgado, F.T. Rocha, P. E. Fonseca, C. Gomes, M. J. Lemos de Sousa & A. Ribeiro</i> | 57-63 |
| Distribution patterns of clay minerals in the surficial sediments of the continental shelf off Guadiana Estuary (Algarve, Portugal) - preliminary study <i>A. Machado, F. Rocha, A. Dias & C. Gomes</i> | 64-67 |
| Geophysical methods used in the reconstruction of the paleosurface that separates the Miocene bentonite deposit from the overlying quaternary eolian sands in Porto Santo Island (Madeira archipelago) <i>João Silva, Fernando Almeida, António Rocha & Celso Gomes</i> | 68-75 |
| Discriminant analysis applied to the lithostratigraphic study of the Corvina I well (Algarve Basin, Portugal) <i>P. S. Caetano, J. Vidinha, F. Rocha & C. Gomes</i> | 76-81 |

| | |
|--|---------|
| Clay minerals associated with the hydrothermal activity of Bouillante (Guadeloupe, FWI) <i>P. Patrier, D. Beaufort, H. Traineau & E. Turgné</i> | 82-93 |
| Precise Clay Mineral Identification In a subaerial basaltic flow from the Moruroa Atoll, French Polynesia: A Probable postmagmatic origin <i>A. Mas, P. Dudoignon & P. Patrier</i> | 94-107 |
| Mineralogical transformations due to contact metamorphism of a basaltic flow upon an argillized hyaloclastic tuff in Porto Santo Island, Madeira Archipelago <i>João Silva, Celso Gomes, Iulio Bobos, Fernando Almeida, Fernando Rocha, Jean M. Naudin, Adelinda Andrade & Cristina Sequeira</i> | 108-112 |
| Identification and characterisation of bentonites in the middle/upper Jurassic (Callovian/Oxfordian) clay deposits in France (Paris Basin and South-Eastern Basin) <i>Pierre Pellenard, Jean-François Deconinck, Didier Marchand, Jean-Luc Schneider, Jacques Thierry & Georges Vigneron</i> | 113-116 |
| Vermiculite-like minerals in low-grade metaclastites from the Central Andes (Chile) <i>M. D. Ruiz Cruz, E. Puga, L. Aguirre, M. Vergara & D. Morata</i> | 117-122 |
| Cooling process and postmagmatic alteration of a thick basaltic lava flow from Paraná Basin (Southern Side of Paraná Basin, RS, Brazil) <i>F. Schenato, M. L. L. Formoso & P. Dudoignon</i> | 123-128 |
| Mineralogical evolution of the clay fraction of soils developed from andesitic rocks in SE Spain <i>M^a. J. Delgado Iniesta, R. Ortiz Silla & M^a. T. Fernández Tapia</i> | 129-133 |
| Porto Santo clays. Are they all the same? <i>P. Castilho, G. Faria, C. Fernandes, C. Breen, M. Carrott, I. Cansado & A. Candeias</i> | 134-136 |
| Expansiveness of Lisbon clay soils <i>Silvério Prates & Isabel Moitinho de Almeida</i> | 137-142 |
| Use of bentonite and an iron oxide for immobilising metals in polluted soils: in vitro experiments <i>L. Madrid, E. Díaz-Barrientos & I. Cardo</i> | 143-148 |
| Clay minerals of some brazilian soils of the Santo Anastácio river basin <i>Silvio R. Teixeira, Joe B. Dixon, G. Norman White, Wolmar A. Carvalho & Octavio Freire</i> | 149-154 |
| Use of charcoal from a brazilian alfisol to study environmental changes in the past and dating sediments <i>Silvio R. Teixeira, Joe B. Dixon, G. Norman White & Marvin W. Rowe</i> | 155-160 |
| Kaolinite- and dickite-hydrazine intercalation complex, a FTIR study <i>F. Franco, M. D. Ruiz Cruz & M. Bentabol</i> | 161-165 |
| Removal of transition metals by filtration trough clay-based spray-dried beds <i>J. M. Ventura, G. E. Márquez, M. J. Ribeiro & J. A. Labrincha</i> | 167-172 |
| Synthesis and properties of hydroxy-aluminum pillared montmorillonite <i>M. L. Chávez-García, L. de Pablo-Galán & M. P. Saucedo-Ramírez</i> | 173-175 |
| Pre-treatment needs for the recycling of Al-rich anodising sludge as a ceramic raw material <i>A. M. Seabra, D. A. Pereira, C. M. Bóia & J.A. Labrincha</i> | 176-181 |
| The desorption of cyclohexylamine from Al- and Ni-exchanged SWy-2 bentonite. A TGA-FTIR and TG-MS study <i>C. Breen, J. Forsyth, J. Yarwood & T. L. Hughes</i> | 182-187 |

| | |
|--|---------|
| Smectite/vermiculite mixed-layer formation from reaction of smectite and LiOH at 200 °C <i>M. Bentabol, M. D. Ruiz Cruz & F. Franco</i> | 188-193 |
| Particle size analysis of clays and clay minerals using laser scattering and X-Ray absorption: a comparative study <i>J. Velho, N. Santos, J. Jardim & C. Gomes</i> | 194-200 |
| Molecular simulation studies on the (K-Ca) electrolytes-shale-water system <i>R. Monsalvo-Vázquez, L. de Pablo-Galán, M. L. Chávez-García, C. Avilés-Alcántara, & M. G. Miranda-Pascual,</i> | 201-204 |
| Experimental rhyolitic glass /alkaline solutions interaction: effect of pH value <i>M. R. Ghiara, C. Petti, T. Manna, & A. De Fazio</i> | 205-208 |
| Fe³⁺-montmorillonite - precursor of glauconite on the Côte d'Ivoire - Ghana marginal ridge <i>A. Wiewióra, A. Wilamowski, P. Giresse, S. Petit & K. Szymański</i> | 209-211 |
| Adsorption of ethylene glycol on organo-clays <i>Adam Gawel & Zenon Kłapyta</i> | 212-213 |
| Present-day formation of clay minerals in the Furnas fumaroles, São Miguel Island, Azores <i>Iuliu Bobos & Celso Gomes</i> | 215-218 |
| Kaolinitic clays of volcanic origin: Composition, technological properties and problems in ceramic applications <i>Michele Dondi</i> | 219-224 |
| Pillared clays prepared from Porto Santo bentonites <i>M. Brotas de Carvalho, J. Pires & A. P. Carvalho</i> | 225-230 |
| Improvement of slip casting performance of an illitic and montmorillonitic based clay mineral for stoneware production <i>José M. F. Ferreira</i> | 231-236 |
| Geochemical and mineralogical diversity of clay materials in Fornos de Algodres region (Central Portugal) and its implications on provenance studies of ancient ceramics <i>M. I. Dias, M. I. Prudêncio, M. A. Gonçalves, M. A. Sequeira Braga & M. A. Gouveia</i> | 237-244 |
| Monte Carlo simulation of the (Na⁺, Mg²⁺)-montmorillonite-water interaction <i>M. G. Miranda-Pascual, L. de Pablo-Galán, M. L. Chávez-García, C. Avilés-Alcántara & R. Monsalvo-Vázquez</i> | 245-247 |
| Comparative study of the thermal behaviour of the kaolinite-hydrazine and dickite-hydrazine intercalation complexes <i>F. Franco, M. Bentabol & M. D. Ruiz Cruz</i> | 248-254 |
| Effects of acid solutions on the mineralogical and geochemical characteristics of the bentonite from the "El Toril" deposit (Almeria, Spain) <i>M. Pelayo, J. A. Martínez & L. Pérez del Villar</i> | 255-260 |
| The acidic and structural properties of Serra de Dentro bentonite <i>C. Breen, P. Castilho, C. Fernandes, M. M. Carrott, I. P. P. Cansado & A. J. Candeias</i> | 261-265 |
| From the ore deposit to the establishment of stocks of raw-materials — The typological column as a management tool— <i>Cristina Carvalho, Álvaro Oliveira & José Grade</i> | 266-269 |
| Smectitic clays in Tunisia <i>F. Jamoussi, E. Fakhfakh, R. Alouani, A. Lopez Galindo, F. Rocha & C. Gomes</i> | 270-274 |

| | |
|--|---------|
| Study of the ceramic raw materials of Villa Rosa (Lara Venezuela) <i>V. Venturi, C. Fiori & G. Ercolani</i> | 275-281 |
| Behaviour of illitic-smectitic ceramic bodies during the drying stage of the ceramic process: effect of water reabsorption on technological properties <i>J. Coroado, J. C. Marques, C. Gomes & F. Rocha</i> | 282-289 |
| Quantitative phase determination of clay and non-clay raw materials used in the ceramics industry: an alternative method <i>C. Coelho, C. A. Scopel, N. Roqueiro & D. Hotza</i> | 290-295 |
| Rheological behaviour of alluvial soils dependent upon textural and mineralogical factors: the case of mud rich soils from the urban area of Aveiro (Portugal) <i>F. Bonito, C. Gomes, C. Cardoso & F. Rocha</i> | 296-304 |
| Experimental design and optimization of clay-feldspar-quartz mixtures used in the ceramics industry <i>D. Hotza, A. De Noni Jr., Douglas A. Orsioli & C. Coelho</i> | 305-309 |
| Distinctive geomechanical properties of soils developed on the same geologic formation and located in the urban area of Aveiro, Portugal <i>A. Benta, C. Gomes, C. Cardoso & F. Rocha</i> | 310-316 |
| Behaviour of matured illitic-smectitic clays for pelotherapy <i>C. Sánchez, J. Parras, M. I. Carretero & P. Barba</i> | 317-321 |
| Ceramic properties of the red clay that underlies kaolin bearing sands in the Alvarães sedimentary kaolin deposit (Portugal) <i>Eduardo Ferraz, Celso Gomes, João Marques, João Coroado & Fernando Rocha</i> | 322-329 |
| Preparation of filter paper with palygorskite. Preliminary study <i>M. Suarez, E. García-Romero, J. M. Martín-Pozas, L. V. Flores, L. Guarro & M. Isart</i> | 330-334 |
| Special and common clays of Pombal region: important raw materials for ceramics and environment/planning policies <i>J. Velho, J. Seródio & C. Gomes</i> | 335-341 |
| Clay-based filtration bodies for domestic water treatment <i>J. M. Ventura, A. F. Lemos, M. J. Ribeiro, J. M. Ferreira & J. A. Labrincha</i> | 342-347 |
| Distinct kaolin grades, identified on the basis of their composition and ceramic properties, in the Alvarães sedimentary kaolin deposit (Portugal): Implications on exploitation and application <i>Eduardo Ferraz, Celso Gomes, João Marques, João Coroado & Fernando Rocha</i> | 348-354 |
| Slurries from the transformation of volcanic stones used in pottery formulations in Madeira island <i>João Silva, Jean M. Naudin, Cristina Sequeira & Celso Gomes</i> | 355-359 |
| Major contribution of smectite development for the degradation of volcanic natural stone that covers the Funchal Cathedral, Madeira Archipelago <i>João Silva, Jean M. Naudin & Celso Gomes</i> | 360-366 |
| Application of volcanic loam and natural zeolites as clay barriers in waste disposal sites and for remediation of polluted soils <i>Hideo Minato, Tatsuo Moromoto & Nobuhiko Wada</i> | 367-372 |
| Physico-chemical characterization of smectitic clay of the late Cretaceous and Paleogene of the North-Eastern Tunisia (Mornaguia-Mehamdia) <i>M. Ben M'Barek, E. Srasra, L. Boutib & F. Zargouni</i> | 373-382 |

| | |
|---|---------|
| Mineralogy and chemistry of a residual soil developed from pumice argillisation, at Gruta do Carvão, Ponta Delgada - Azores <i>Henrique Delgado, João Nunes, Celso Gomes & Zilda França</i> | 383-385 |
| Preparation of pillared aluminum clay by solid-solid reaction <i>N. Frini-Srasra, M. Trabelsi-Ayadi & F. Bergaya</i> | 386-391 |
| Geochemical characteristics and economic potential of some Nigerian bentonitic clays <i>W. O. Emofurieta</i> | 392 |
| Evaluation of the bleaching potentials of some montmorillonitic clays in Southern Nigeria <i>W. O. Emofurieta, O. Odokuma & A. A. Anozie</i> | 393 |